L Number	Hits		DB	Time stamp
-	3	Thornton-James	USPAT;	2002/08/06 10:51
			US-PGPUB;	!
			EPO; JPO; DERWENT;	
			IBM TDB	i
_	2	Thornton-James	USPAT	2002/08/05 13:02
_	ō	Thornton-James	USOCR	2002/08/05 09:30
-	1	("6279013").PN.	USPAT	2002/08/05 09:39
-	0	("9143773").PN.	USPAT	2002/08/05 09:39
-	0	("9143773").PN.	USPAT	2002/08/05 09:40
-	1	("6240429").PN.	USPAT	2002/08/05 09:40
-	4	or ("6279013")).PN.	USPAT	2002/08/05 09:41
-	1298		USPAT	2002/08/05 15:09
	6	(("4322157") or ("4488679") or ("4494862")	USPAT; US-PGPUB	2002/08/05 14:54
		or ("4521096") or ("4660221") or ("4728984")).PN.	US-PGPUB	
_	60	(162/110).CCLS.	USPAT;	2002/08/05 14:54
]	55	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB	
{ -	0	(235/462).CCLS.	USPAT	2002/08/05 15:10
-	0	(235/462).CCLS.	USPAT;	2002/08/05 15:10
İ			US-PGPUB	0000 400 405 55 55
-	110	(235/462.32).CCLS.	USPAT; US-PGPUB	2002/08/05 15:10
	660	(235/494).CCLS.	USPAT	2002/08/06 11:19
-	281	(380/54).CCLS.	USPAT	2002/08/06 13:22
-	290	(380/54).CCLS.	USPAT;	2002/08/06 11:24
	cca	(303/100) 0010	US-PGPUB	2002/08/06 11:26
-	557	(382/100).CCLS.	USPAT; US-PGPUB	2002/08/06 11:26
_	0	(305/276).CCLS.	USPAT;	2002/08/06 11:28
			US-PGPUB	
-	0	(382/305.276).CCLS.	USPAT;	2002/08/06 11:28
		4000 4005	US-PGPUB	2000/00/06 10 00
[-	333	(382/305).CCLS.	USPAT; US-PGPUB	2002/08/06 12:00
_	0	(235/462).CCLS.	USPAT;	2002/08/06 12:01
	Ü	(233) 402) . 6686.	US-PGPUB	2002,00,00 12:01
-	111	(235/462.32).CCLS.	USPAT;	2002/08/06 12:04
			US-PGPUB	
-	1349	(235/375).CCLS.	USPAT;	2002/08/06 12:05
	200120	/ambad64 au muint63 au innlud63 au	US-PGPUB	2002/08/06 13:10
-	380130	(embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near	USPAT; US-PGPUB	2002/08/06 13:10
		US-3502851-A.DID. (token or record or	OU EGEOD	
		label or code or barcode)		
-	380130	(print or document or file or paper or	USPAT;	2002/08/06 13:11
]		application) near US-3502851-A.DID. (token	US-PGPUB	
1		or record or label or code or barcode)		
-	76204	(token or record or label or code or	USPAT;	2002/08/06 13:14
		barcode) near10 (link\$3 or hyperlink\$3 or refer\$4 or point\$4)	US-PGPUB	
-	380130	(scan\$3 or read\$3 or sens\$3) near	USPAT;	2002/08/06 13:17
		US-3502851-A.DID. (token or record or	US-PGPUB	
		label or code or barcode)		
-	1	1AND2	USPAT;	2002/08/06 13:17
ļ_	^	7000000	US-PGPUB	2002/00/00 12:17
-	0	79AND80	USPAT; US-PGPUB	2002/08/06 13:17
]_	380130	((embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/06 13:18
		compris\$3 or attach\$4) near	US-PGPUB	
		US-3502851-A.DID. (token or record or		
		label or code or barcode)) AND ((print or		
		document or file or paper or application)		
		near US-3502851-A.DID. (token or record or	İ	
L	•	label or code or barcode))	L	

- 76204 ((token or record or label or code or barcode) near10 (link\$3 or hyperlink\$3 or US-PGPUB refer\$4 or point\$4)) AND ((scan\$3 or	2002/08/06 13:18
refer\$4 or point\$4)) AND ((scan\$3 or	•
refers or points ) AND ((Scans or	•
read\$3 or sens\$3) near US-3502851-A.DID.	•
(token or record or label or code or	<u> </u>
barcode))	
- 76204 ((token or record or label or code or USPAT;	2002/08/06 13:19
barcode) near10 (link\$3 or hyperlink\$3 or US-PGPUB	!
refer\$4 or point\$4)) AND ((scan\$3 or	!
read\$3 or sens\$3) near US-3502851-A.DID.	i
(token or record or label or code or	
barcode))	
- 76204 (((embed\$4 or print\$3 or includ\$3 or USPAT;	2002/08/06 13:20
compris\$3 or attach\$4) near US-PGPUB	
US-3502851-A.DID. (token or record or	
label or code or barcode)) AND ((print or document or file or paper or application)	1
near US-3502851-A.DID. (token or record or	1
label or code or barcode))) AND (((token	
or record or label or code or barcode)	1
near10 (link\$3 or hyperlink\$3 or refer\$4	
or point\$4)) AND ((scan\$3 or read\$3 or	
sens\$3) near US-3502851-A.DID. (token or	i
record or label or code or barcode)))	
- 237 OCR AND barcode USPAT;	2002/08/06 17:13
US-PGPUB	2002/08/07 10:10
- 275452 embed\$4 or print\$3 or includ\$3 or USPAT; compris\$3 or attach\$4)near10(token or US-PGPUB;	
compris\$3 or attach\$4)near10(token or US-PGPUB; record or label or code or barcode EPO; JPO;	
record of label of code of barcode DERWENT;	
IBM TDB	
- 141268 print or document or file or paper or USPAT;	2002/08/07 10:11
application)near10(token or record or US-PGPUB;	
label or code or barcode EPO; JPO;	
DERWENT;	]
IBM_TDB	
- 87127 token or record or label or code or USPAT;	2002/08/07 10:13
barcode) near10(link\$3 or hyperlink\$3 or US-PGPUB;	3
refer\$4   EPO; JPO; DERWENT;	
IBM TDB	
- 179751 scan\$3 or read\$3 or sens\$3) near10(token or USPAT;	2002/08/07 10:14
record or label or code or barcode US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 146187 generat\$3 or creat\$3 or compil\$5 or USPAT;	2002/08/07 10:15
fabricat\$3)near10(token or record or label US-PGPUB;	1
or code or barcode EPO; JPO;	
DERWENT;	
- 37124 (embed\$4 or print\$3 or includ\$3 or USPAT;	2002/08/07 10:16
compris\$3 or attach\$4) near10 (token or US-PGPUB;	
record or label or code or barcode) same EPO; JPO;	
(generat\$3 or creat\$3 or compil\$5 or DERWENT;	
fabricat\$3)near10(token or record or label IBM_TDB	
or code or barcode)	
- 7484 ( (embed\$4 or print\$3 or includ\$3 or USPAT;	2002/08/07 10:16
compris\$3 or attach\$4)near10(token or US-PGPUB;	
record or label or code or barcode) same EPO; JPO;	
(generat\$3 or creat\$3 or compil\$5 or DERWENT;	
fabricat\$3)near10(token or record or label IBM_TDB	
or code or barcode)) same (print or	
document or file or paper or application) near10 (token or record or	
label or code or barcode)	
- 151166 link\$3 or hyperlink\$3 or USPAT;	2002/08/07 10:19
refer\$4)near10(page or web or internet or US-PGPUB;	l l
I TETETAA ) HEATIN ( PAGE OF MED OF THEFTHER OF 1 09 LGLOD)	
remote\$2 or external\$2 EPO; JPO;	
remote\$2 or external\$2  EPO; JPO; DERWENT; IBM TDB	

			<del>,</del>	
-	1633	(( (embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07 10:19
		compris\$3 or attach\$4)near10(token or record or label or code or barcode) same	US-PGPUB; EPO; JPO;	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	
		fabricat\$3)near10(token or record or label	IBM TDB	į
		or code or barcode)) same (print or	15155	
		document or file or paper or		
		application) near10 (token or record or		
i		label or code or barcode)) and (link\$3 or	1	•
		hyperlink\$3 or refer\$4)near10(page or web	•	1
		or internet or remote\$2 or external\$2)	i	:
_	1075	((( (embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07 10:19
		compris\$3 or attach\$4)near10(token or	US-PGPUB;	
		record or label or code or barcode) same	EPO; JPO;	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	
		fabricat\$3)near10(token or record or label	IBM_TDB	1
į.	İ	or code or barcode)) same (print or		
		document or file or paper or		
	1	application) near10 (token or record or		
	1	label or code or barcode)) and (link\$3 or hyperlink\$3 or refer\$4)near10(page or web		
		or internet or remote\$2 or external\$2))		
	1	and (token or record or label or code or		
		barcode)near10(link\$3 or hyperlink\$3 or		
		refer\$4)		
-	1075	(((( (embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07 10:19
		compris\$3 or attach\$4)near10(token or	US-PGPUB;	
1		record or label or code or barcode) same	EPO; JPO;	
	<b> </b>	(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	
		fabricat\$3)near10(token or record or label	IBM_TDB	
		or code or barcode)) same (print or		
		document or file or paper or		
		application)near10(token or record or label or code or barcode)) and (link\$3 or	ĺ	
		hyperlink\$3 or refer\$4)near10(page or web		<del> </del>
		or internet or remote\$2 or external\$2))	İ	
		and (token or record or label or code or		
		barcode) near10 (link\$3 or hyperlink\$3 or		
		refer\$4)) and (generat\$3 or creat\$3 or	İ	
		compil\$5 or fabricat\$3)near10(token or		
		record or label or code or barcode)		
-	11236	1 '-	USPAT;	2002/08/07 10:20
		application) near10 (token or record or	US-PGPUB;	
		label or code or barcode) same (token or	EPO; JPO;	
		record or label or code or barcode)near10(link\$3 or hyperlink\$3 or	DERWENT; IBM TDB	
		refer\$4)	1011-100	
_	693	(((( (embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07 10:20
		compris\$3 or attach\$4)near10(token or	US-PGPUB;	
		record or label or code or barcode) same	EPO; JPO;	1
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	
		fabricat\$3)near10(token or record or label	IBM_TDB	
		or code or barcode)) same (print or	1	
		document or file or paper or		
		application)near10(token or record or label or code or barcode)) and (link\$3 or		
		hyperlink\$3 or refer\$4)near10(page or web		
		or internet or remote\$2 or external\$2))		
		and (token or record or label or code or		
	1	barcode) near10(link\$3 or hyperlink\$3 or		
		refer\$4)) and (scan\$3 or read\$3 or		
1		sens\$3)near10(token or record or label or		
		code or barcode)	1	1

			UCDAM.	2002/08/07 10:52
-	445		USPAT;	. 2002/08/07 10:52
	ļ	<pre>compris\$3 or attach\$4)near10(token or record or label or code or barcode) same</pre>	US-PGPUB; EPO; JPO;	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	; !
ļ		fabricat\$3)near10(token or record or label	IBM TDB	į
1		or code or barcode)) same (print or	100-100	ì
		document or file or paper or		
		application) near10 (token or record or		i
		label or code or barcode)) and (link\$3 or	!	
	<u> </u>	hyperlink\$3 or refer\$4)near10(page or web	i	
		or internet or remote\$2 or external\$2))	j	
	i	and (token or record or label or code or		
		barcode) near10 (link\$3 or hyperlink\$3 or		
		refer\$4)) and (scan\$3 or read\$3 or		
		sens\$3)near10(token or record or label or		
		code or barcode)) and ((print or document		
		or file or paper or		
		application)near10(token or record or	İ	j
-	[	label or code or barcode) same (token or		
		record or label or code or		
		barcode)near10(link\$3 or hyperlink\$3 or		
		refer\$4))		
-	13579	(scan\$3 or read\$3 or sens\$3)near10(token	USPAT;	2002/08/07 10:21
		or record or label or code or barcode) and	US-PGPUB;	
		(link\$3 or hyperlink\$3 or	EPO; JPO;	
		refer\$4) near10 (page or web or internet or	DERWENT;	
		remote\$2 or external\$2)	IBM_TDB	†
-	1242	(scan\$3 or read\$3 or sens\$3)near10(token	USPAT;	2002/08/07 10:21
		or record or label or code or barcode)	US-PGPUB;	
		same (link\$3 or hyperlink\$3 or	EPO; JPO;	
		refer\$4)near10(page or web or internet or	DERWENT;	
	1	remote\$2 or external\$2)	IBM_TDB	
j -	68	(((((( (embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07 10:21
		compris\$3 or attach\$4)near10(token or	US-PGPUB;	1
		record or label or code or barcode) same	EPO; JPO;	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	
		fabricat\$3)near10(token or record or label	IBM_TDB	
		or code or barcode)) same (print or		
		document or file or paper or		
		application) near10 (token or record or		
		label or code or barcode)) and (link\$3 or hyperlink\$3 or refer\$4)near10(page or web		
		or internet or remote\$2 or external\$2))		
		and (token or record or label or code or		
		barcode)near10(link\$3 or hyperlink\$3 or		
		refer\$4)) and (scan\$3 or read\$3 or		
		sens\$3)near10(token or record or label or	į	
		code or barcode)) and ((print or document		
		or file or paper or		
		application) near10 (token or record or		
		label or code or barcode) same (token or		
		record or label or code or		
		barcode)near10(link\$3 or hyperlink\$3 or		
		refer\$4))) and ((scan\$3 or read\$3 or		
		sens\$3)near10(token or record or label or		
		code or barcode) same (link\$3 or		
		hyperlink\$3 or refer\$4)near10(page or web		1
		or internet or remote\$2 or external\$2))	1	
<u> </u>	<u> </u>		1	<del></del>

		7//// /	HCDATE.	2002/08/07	10.52
	40	((((( (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or	USPAT; US-PGPUB;	2002/08/07	10:53
		record or label or code or barcode) same	EPO; JPO;	<b>†</b>	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	l .	i
		fabricat\$3)near10(token or record or label	IBM TDB	i	
		or code or barcode)) same (print or	_	İ	
		document or file or paper or			
1		application) near10 (token or record or		•	
		label or code or barcode)) and (link\$3 or		!	
		hyperlink\$3 or refer\$4)near10(page or web			
		or internet or remote\$2 or external\$2))			:
	i	and (token or record or label or code or			
		barcode) near10(link\$3 or hyperlink\$3 or		i	
		refer\$4)) and (scan\$3 or read\$3 or sens\$3)near10(token or record or label or			i
		code or barcode)) and ((print or document			
		or file or paper or			
		application)near10(token or record or			
		label or code or barcode) same (token or		1	ļ
		record or label or code or		1	!
	j	barcode)near10(link\$3 or hyperlink\$3 or	ı		
	ا _	refer\$4)) and 235/375		1 2002 (22 (22 )	
-	0	("17" and "16" and 235/375).CCLS.	USPAT;	2002/08/07	11:02
			US-PGPUB;		
			EPO; JPO; DERWENT;		
			IBM TDB		
_	3	("4322157").PN.	USPAT;	2002/08/07	11:03
		,	US-PGPUB;		
	1		EPO; JPO;		
			DERWENT;		ļ
			IBM_TDB	2000/00/07	12 20
-	0		USPAT;	2002/08/07	13:28
		4488679,4494862,4521096,4660221,4728984").Pl	EPO; JPO;		
			DERWENT;		
			IBM TDB		
_	0	("4322157 4488679 4494862 4521096 4660221	USPAT;	2002/08/07	11:04
		4728984").PN.	US-PGPUB;		
			EPO; JPO;		
	]		DERWENT;		
		(#44040578)	IBM_TDB	2002/00/07	11.04
-	18	(("4322157") or ("4488679") or ("4494862") or ("4521096") or ("4660221") or	USPAT; US-PGPUB;	2002/08/07	11:04
		("4728984")).PN.	EPO; JPO;		
		1,20,03 //,	DERWENT;		
			IBM TDB		
-	0	("4322157,	USPĀT;	2002/08/07	13:29
		4488679,4494862,4521096,4660221,4728984").P			
	İ		EPO; JPO;		
			DERWENT;		
	] 30	4222157	IBM_TDB USPAT;	2002/08/07	13.20
_	38	4322157,   4488679,4494862,4521096,4660221,4728984	USPAT; US-PGPUB;	2002/00/07	17.27
		1100017,1127006,1000100611,10004	EPO; JPO;	1	
			DERWENT;		
			IBM_TDB		ļ
-	9	(US-5493106-\$ or US-5486686-\$ or	USPAT;	2002/08/07	13:31
		US-5451760-\$ or US-5490217-\$ or	US-PGPUB		
		US-5485000-\$ or US-5459307-\$ or			
		US-5593185-\$ or US-6192165-\$).did. or			
_	0	(US-20020078363-\$).did.   ((("4322157") or ("4488679") or	USPAT;	2002/08/07	13.31
	]	("4494862") or ("4521096") or ("4660221")	US-PGPUB;	2002/00/07	
	1	or ("4728984")).PN.) and ((US-5493106-\$ or	EPO; JPO;		
		US-5486686-\$ or US-5451760-\$ or	DERWENT;		
		US-5490217-\$ or US-5485000-\$ or	IBM_TDB		
		US-5459307-\$ or US-5593185-\$ or			
		US-6192165-\$).did. or			
1		(US-20020078363-\$).did.)	l	<u> </u>	

-	18	(	USPAT;	2002/08/07 14:16
		or ("4521096") or ("4660221") or	US-PGPUB;	
1		("4728984")).PN.	EPO; JPO;	•
			DERWENT;	
1			IBM_TDB	
-	4617	(scan\$3 and decod\$3 and choose) and	USPAT;	2002/08/07 14:18
		(list\$3 or show\$3)	US-PGPUB;	1
			EPO; JPO;	i i
			DERWENT;	
			IBM TDB	
-	7249	barcod\$3 or glyp\$3	USPAT;	2002/08/07 14:19
			US-PGPUB;	1
ļ			EPO; JPO;	
			DERWENT;	•
	l		IBM TDB	•
_	241	((scan\$3 and decod\$3 and choose) and	USPAT;	2002/08/07 14:19
ļ		(list\$3 or show\$3) ) and (barcod\$3 or	US-PGPUB;	1
		glyp\$3)	EPO; JPO;	
		9236424	DERWENT;	1
			IBM TDB	
_	1	"6397231"	USPAT;	2002/08/08 08:08
	_	0337231	US-PGPUB;	2002/00/00 00:00
1			EPO; JPO;	
Ì			1	!
			DERWENT;	
	7	"6240429"	IBM_TDB	2002/00/00 00-22
-	/	0240429"	USPAT;	2002/08/08 08:22
			US-PGPUB;	į i
			EPO; JPO;	
1			DERWENT;	1
			IBM_TDB	
-	13	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2002/08/08 08:26
		or ("6266682") or ("6370553") or	US-PGPUB;	
		("6253217") or ("6324551")).PN.	EPO; JPO;	İ
			DERWENT;	
i			IBM_TDB	
-	7	, (( ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) )	USPAT;	2002/08/08 08:39
		or ("6266682") or ("6370553") or	US-PGPUB	
		("6253217") or ("6324551")).PN.		1
-	0	("9452530").PN.	USPAT;	2002/08/08 08:39
			US-PGPUB	
-	0	("self-contained").PN.	USPAT;	2002/08/08 08:40
1			US-PGPUB	
-	51891	self-contained	USPAT;	2002/08/08 08:40
}			US-PGPUB;	
	+		EPO; JPO;	
			DERWENT;	į l
1			IBM_TDB	
-	406	· · · · · · · · · · · · · · · · · · ·	USPAT;	2002/08/08 08:44
	1	and based and properties	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	1		IBM TDB	:
1 -	. 0	syatem and applying and application and	USPĀT;	2002/08/08 08:44
}		behavior and freeform and data	US-PGPUB;	
1	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	31	system and applying and application and	USPĀT;	2002/08/08 09:05
	1	behavior and freeform and data	US-PGPUB;	
	1	***************************************	EPO; JPO;	
•	İ		DERWENT;	
İ	1		IBM TDB	
_	249524	document sachel	USPAT;	2002/08/08 09:05
	1		US-PGPUB;	=====================================
ļ	1		EPO; JPO;	]
			DERWENT;	1
	1		IBM TDB	
L	1	I	100	L

				T 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
-	10	document ADJ "6240429" sachel	USPAT;	2002/08/08 09:06
}			US-PGPUB; EPO; JPO;	
			DERWENT;	
1			IBM TDB	
_	10	document ADJ ((("6308179") or ("6330573")		2002/08/08 09:06
	1	or ("6240429") or ("6266682") or	US-PGPUB;	'
	1	("6370553") or ("6253217") or	EPO; JPO;	<u> </u>
	1	("6324551")).PN.) sachel	DERWENT;	
			IBM_TDB	·
-	0	document WITH sachel	USPAT;	2002/08/08 09:06
			US-PGPUB;	
			EPO; JPO;	į
			DERWENT; IBM TDB	
_	0	documentWITHsachel	USPAT;	2002/08/08 09:06
		documentwillisachei	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
_	0	document WITH sachel	USPĀT;	2002/08/08 09:07
•			US-PGPUB;	j
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000/00/00 00 00
_	0	document WITH sachel	USPAT;	2002/08/08 09:09
	,		US-PGPUB;	
			EPO; JPO; DERWENT;	;
			IBM TDB	
_	108664	xerox, dataglyph	USPAT;	2002/08/08 09:25
	100004	neton, ddedglypn	US-PGPUB;	2002,00,00 03.20
			EPO; JPO;	•
			DERWENT;	
	1		IBM_TDB	
_	547760	xerox, dataglyph, document management	USPĀT;	2002/08/08 09:26
			US-PGPUB;	-
	1		EPO; JPO;	
			DERWENT;	
	20	TARREST TO THE PARTY OF THE PAR	IBM_TDB	2002/08/08 09:27
_	30	xerox AND dataglyph AND document AND management	USPAT; US-PGPUB;	2002/08/08 09:27
		management	EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
_	30	dataglyph AND document AND management	USPAT;	2002/08/08 09:27
		J 11	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25169	document AND management	USPAT;	2002/08/08 09:27
			US-PGPUB;	
			EPO; JPO;	
	İ		DERWENT; IBM TDB	ı
_	295	document AND management AND machine AND	USPAT;	2002/08/08 09:30
	2,3	barcode	US-PGPUB;	2002,00,00 03.30
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
-	13	"5468686"	USPAT;	2002/08/08 09:30
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
		, W.S. A. CO. CO. C. W	IBM_TDB	2002/02/22 22 22
-	3	("5468686").PN.	USPAT;	2002/08/08 09:31
			US-PGPUB;	
1	1		EPO; JPO; DERWENT;	
1			IBM TOB	
L	<u> </u>		I TOM I DO	l

3	("5486686").PN.		2002/08/08 15:55
1		US-PGPUB;	†
		EPO; JPO;	
		DERWENT;	
		IBM TDB	1
0	facimile0<1995	USPAT;	2002/08/08 15:55
	I TUCIMITE (1790	, -	
!			ţ
	facimile@nu<1005		2002/08/08 15:56
0	l racimile@by<1995	# · · · · · · · · · · · · · · · · · · ·	2002/00/00 15.50
		1	
1		T .	
			0000 /00 /00 15 5/
175	facimile	l ·	2002/08/08 15:56
		•	<u>!</u>
		1	i
		IBM_TDB	
0	facsimile@py<1995	USPAT;	2002/08/08 15:56
		US-PGPUB;	
	·	EPO; JPO;	-
		DERWENT;	
1		IBM TDB	
155835	facsimile	USPĀT:	2002/08/08 15:57
133033	10001m110		
		•	İ
		,	
		•	
12221	   faccimile MITTH machine		2002/08/08 16:00
			2002/08/08 16:01
	lacsimile with machine.ci		2002/08/08 10.01
15050	(C		2002/08/08 16:02
15350	(facsimile with machine).ti	· · · · · · · · · · · · · · · · · · ·	2002/08/08 16:02
	<u> </u>	<u> </u>	0000/00/00 16 46
2172	racsimile.ti.		2002/08/08 16:49
i			
1	bain-alexander.in.	1	2002/08/08 16:50
		!	
0	bain-alexander.in.	USOCR	2002/08/08 16:49
0	bain-alex.in.	USPAT;	2002/08/08 16:50
		US-PGPUB	
270	bain.in.	USPAT;	2002/08/08 16:50
		US-PGPUB	
0	bain.in.	USOCR	2002/08/08 16:50
3	("5486686").PN.	USPAT;	2002/08/12 15:47
		US-PGPUB;	
		· · · · · · · · · · · · · · · · · · ·	!
		IBM TDB	
	0 175 0 155835 13231 0 15350 2172 1 0 0 270 0	<pre>0 facimile@&lt;1995  0 facimile@py&lt;1995  175 facimile  0 facsimile@py&lt;1995  155835 facsimile  13231 facsimile WITH machine facsimile WITH machine.ti  15350 (facsimile WITH machine).ti  2172 facsimile.ti.  1 bain-alexander.in.  0 bain-alexander.in.  1 bain-alexander.in.  270 bain.in.  0 bain.in.</pre>	US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB USPAT; US-P



L Number	+		DB	Time stamp
1	2	(("5331547") or ("5905246")).PN.	USPAT:	2003/05/08 13:27
	ĺ		US-PGPUB	2003/03/08 13:27
-	160	scan near4 token	USPAT;	2003/05/06 14:46
	İ		US-PGPUB	2003/03/06 14:46
-	34	scan near4 glyphs	USPAT;	2003/05/06 15:49
			US-PGPUB	2003/05/06 15:49
-	1	scan\$ near4 glyph\$ near4 list\$	USPAT;	2002/05/05 15
		J. J	US-PGPUB	2003/05/06 15:51
-	5	scan\$ near4 glyph\$ near4 select\$	1	0000 105 105
		select	USPAT;	2003/05/06 15:54
-	239	scan\$ near4 bar adj code near4 select\$	US-PGPUB	1
ł		goding media bar adj code media sefects	USPAT;	2003/05/06 15:55
_	427	scans neard them add and a	US-PGPUB	
	12'	scan\$ near4 (bar adj code) near4 select\$	USPAT;	2003/05/07 10:46
_	785	cone minute.	US-PGPUB	!
1	/03	scan\$ near4 document\$ near4 electronic	USPAT;	2003/05/07 10:49
_	141		US-PGPUB	
_	141	scan\$ near4 electronic adj document\$	USPAT;	2003/05/07 10:50
	1.00		US-PGPUB	
_	108	(scan or scanning or scanned) near4	USPAT;	2003/05/07 11:21
		(electronic adj document)	US-PGPUB	
_	406	(scan or scanning or scanned) same	USPAT;	2003/05/07 11:43
	]	(electronic adj document)	US-PGPUB	2000/00/07 11:45
_	145	(glyph or bar adj code or token) same	USPAT:	2003/05/07 14:15
	1	(electronic adj document)	US-PGPUB	2003/03/07 14.13
-	39	generate adj list same (glyph or bar adj	USPAT;	2003/05/07 14:16
	1	code or token)	US-PGPUB	2003/03/07 14:16
-	63	generat\$ adj list same (glyph or bar adj	USPAT:	2003/05/07 14 21
		code or token)	US-PGPUB	2003/05/07 14:31
-	3082	list same (glyph or bar adj code or token)	1	2002/05/05
		not (generat\$ adj list same (glyph or bar	USPAT;	2003/05/07 14:31
		adj code or token))	US-PGPUB	1
_	36	((form or create or make) adj list) same		
		(alumb or bar add and an talk) same	USPAT;	2003/05/07 15:07
		(glyph or bar adj code or token) not	US-PGPUB	
		(generat\$ adj list same (glyph or bar adj		
_		code or token))		
i	0	("6,293,874.").PN.	USPAT;	2003/05/07 15:07
į	_ [	486 000 000	US-PGPUB	
_	1	("6,293,874").PN.	USPAT;	2003/05/07 15:07
			US-PGPUB	1 = 2, 21 23.07